


WRITER/BRANCH: _____ P.O.#: _____

CUSTOMER NAME/CO.: _____

PHONE: _____ Date: _____

MOBILE PHONE: _____

1 STACK ELBOW 90° OTHER



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

STK 90 _____ x _____ with _____ Rd Thr

OR _____ x _____ Sq Thr

RAD HEEL SQ HEEL

Ends J1 _____ J2 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____


STK 90 _____ x _____ with _____ Rd Thr

OR _____ x _____ Sq Thr

RAD HEEL SQ HEEL

Ends J1 _____ J2 _____

2 SIDE ANGLE 90° OTHER



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

SA 90 _____ x _____ with _____ Rd Thr

OR _____ x _____ Sq Thr

RAD HEEL SQ HEEL

Ends J1 _____ J2 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

SA 90 _____ x _____ with _____ Rd Thr


OR _____ x _____ Sq Thr

RAD HEEL SQ HEEL

Ends J1 _____ J2 _____

D) TURNING VANE OPTION

3 STACK ELBOW 90° REDUCING OTHER



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Turning Up Turning Down

FRS FLS O/C SQ HEEL

STK 90 _____ x _____ to _____ x _____

with _____ Rd Thr **OR** _____ x _____ Sq Thr

Ends J1 _____ J2 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Turning Up Turning Down


FRS FLS O/C SQ HEEL

STK 90 _____ x _____ to _____ x _____

with _____ Rd Thr **OR** _____ x _____ Sq Thr

Ends J1 _____ J2 _____

4 SIDE ANGLE 90° REDUCING OTHER



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Turning Left Turning Right

FOT FOB O/C SQ HEEL

SA 90 _____ x _____ to _____ x _____

with _____ Rd Thr **OR** _____ x _____ Sq Thr

Ends J1 _____ J2 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Turning Left Turning Right


FOT FOB O/C SQ HEEL

SA 90 _____ x _____ to _____ x _____

with _____ Rd Thr **OR** _____ x _____ Sq Thr

Ends J1 _____ J2 _____

5 SIDE TAKE-OFF



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

STO _____ x _____ Long

Splitter Damper PR Damper

Ends J1 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

STO _____ x _____ Long

Splitter Damper PR Damper

Ends J1 _____

VARIATION 3: DL 1/2" 1"


Gauge _____ Qty _____

STO _____ x _____ Long

Splitter Damper PR Damper

Ends J1 _____

6 RETURN AIR BOOT



TURNING VANE OPTION

VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

Only if B & D different: FLS FRS

RAB $\frac{\quad}{A} \times \frac{\quad}{B}$ to $\frac{\quad}{C} \times \frac{\quad}{D}$ O/C

with $\frac{\quad}{E} \times \frac{\quad}{F}$ Sq Thr, or _____ RD

RAD HEEL SQ HEEL

Ends J1 _____ J2 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

Only if B & D different: FLS FRS


RAB $\frac{\quad}{A} \times \frac{\quad}{B}$ to $\frac{\quad}{C} \times \frac{\quad}{D}$ O/C

with $\frac{\quad}{E} \times \frac{\quad}{F}$ Sq Thr, or _____ RD

RAD HEEL SQ HEEL

Ends J1 _____ J2 _____

7 3-WAY



EVEN BACK UNEVEN BACK

VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Only if B is different from D **OR** F:

FOT FOB O/C

$\frac{\quad}{A} \times \frac{\quad}{B}$ to $\frac{\quad}{C}$ Left $\frac{\quad}{D}$ to $\frac{\quad}{E}$ Right $\frac{\quad}{F}$

with _____ Rd Thr **OR** $\frac{\quad}{G} \times \frac{\quad}{G}$ Sq Thr

Splitter Damper Push Rod Damper

Ends J1 _____ J2 _____ J3 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Only if B is different from D **OR** F:

FOT FOB O/C


$\frac{\quad}{A} \times \frac{\quad}{B}$ to $\frac{\quad}{C}$ Left $\frac{\quad}{D}$ to $\frac{\quad}{E}$ Right $\frac{\quad}{F}$

with _____ Rd Thr **OR** $\frac{\quad}{G} \times \frac{\quad}{G}$ Sq Thr

Splitter Damper Push Rod Damper

Ends J1 _____ J2 _____ J3 _____

8 Y-BRANCH



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Only if B is different from D **OR** F:

FOT FOB O/C

$\frac{\quad}{A} \times \frac{\quad}{B}$ to $\frac{\quad}{C}$ Straight $\frac{\quad}{D}$ to $\frac{\quad}{E}$ Right $\frac{\quad}{F}$

with _____ Rd Thr **OR** $\frac{\quad}{H} \times \frac{\quad}{H}$ Sq Thr

Splitter Damper Push Rod Damper

Ends J1 _____ J2 _____ J3 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____

Indicate: Only if B is different from D **OR** F:

FOT FOB O/C

$\frac{\quad}{A} \times \frac{\quad}{B}$ to $\frac{\quad}{C}$ Straight $\frac{\quad}{D}$ to $\frac{\quad}{E}$ Right $\frac{\quad}{F}$


with _____ Rd Thr **OR** $\frac{\quad}{H} \times \frac{\quad}{H}$ Sq Thr

Splitter Damper Push Rod Damper

Ends J1 _____ J2 _____ J3 _____

9 TRANSITION

DL 1/2" 1" Gauge _____ Qty _____




Trans $\frac{\quad}{A} \times \frac{\quad}{B}$

to $\frac{\quad}{C} \times \frac{\quad}{D}$, _____ Long

Ends J1 _____ J2 _____

Only if B and D are different **AND** A and C are different, check one of the following: (If not, see Reducer)

FOB O/C FLS O/C




FOT O/C

FOT FRS

O/C BW


FRS O/C



FOT FLS


FOB FLS

FOB FRS



10 TRANSITION (OFFSET/RISING)(No Radius)

DL 1/2" 1" Qty _____ Gauge _____




Trans $\frac{\quad}{A} \times \frac{\quad}{B}$

to $\frac{\quad}{C} \times \frac{\quad}{D}$, _____ Long

Rise: _____ Offset: _____


Ends J1 _____ J2 _____

RISE (Check One & Select Rise)




Note: B + Top Rise = D + Bottom Rise

OFFSET (Check One & Select Offset)



Note: A + Off = C + Off

11 BOX PLENUM **DRAIN PAN**



METAL TYPE _____


VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____
 1/2" DFO FO FI RAW S&D
 _____ x _____, _____ High
 A B C
 Pan Drain Option
 Solder 1/2" Spot Weld
 Silicone 3/4" Not Sealed
 Safety Edge

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____
 1/2" DFO FO FI RAW S&D
 _____ x _____, _____ High
 A B C
 Pan Drain Option
 Solder 1/2" Spot Weld
 Silicone 3/4" Not Sealed
 Safety Edge

12 PLENUM ELBOW




VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____
Indicate: Only if B and D are different:
 FLS FRS O/C Sq Heel
 _____ x _____ (to _____ x _____) _____
 A B C D E
 with _____ Rd Thr **OR** _____ x _____ Sq Thr
 F F F
 Ends J1 _____ J2 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____
Indicate: Only if B and D are different:
 FLS FRS O/C Sq Heel
 _____ x _____ (to _____ x _____) _____
 A B C D E
 with _____ Rd Thr **OR** _____ x _____ Sq Thr
 F F F
 Ends J1 _____ J2 _____

13 PLENUM TAKE-OFF (Flat on Top)




VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____
Indicate: Only if B and D are different:
 FLS FRS O/C
 To fit which side of Plenum: _____
 PTO _____ x _____ (to _____ x _____) FOT, _____ Long
 A B C D E
 PR Damper
 Volume Damper Size _____ Location _____
 G G
 Ends J1 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____
Indicate: Only if B and D are different:
 FLS FRS O/C
 To fit which side of Plenum: _____
 PTO _____ x _____ (to _____ x _____) FOT, _____ Long
 A B C D E
 PR Damper
 Volume Damper Size _____ Location _____
 G G
 Ends J1 _____

14 PLENUM TAKE-OFF (With Rise)




VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____
Indicate: Look F.L.C. Only if B and D are different:
 FLS FRS O/C
 To fit which side of Plenum: _____
 PTO _____ x _____ (to _____ x _____), _____, _____
 A B C D E (long) F (rise)
 PR Damper
 Volume Damper Size _____ Location _____
 G G
 Ends J1 _____

VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____
Indicate: Look F.L.C. Only if B and D are different:
 FLS FRS O/C
 To fit which side of Plenum: _____
 PTO _____ x _____ (to _____ x _____), _____, _____
 A B C D E (long) F (rise)
 PR Damper
 Volume Damper Size _____ Location _____
 G G
 Ends J1 _____

15 FISHLOCK COLLAR



VARIATION 1: DL 1/2" 1"

Gauge _____ Qty _____
 FLC _____ x _____, _____ Long
 A B C
 Ends J1 _____


VARIATION 2: DL 1/2" 1"

Gauge _____ Qty _____
 FLC _____ x _____, _____ Long
 A B C
 Ends J1 _____

VARIATION 3: DL 1/2" 1"

Gauge _____ Qty _____
 FLC _____ x _____, _____ Long
 A B C
 Ends J1 _____

16 STRAIGHT DUCT




VARIATION 1: DL 1/2" 1" **VARIATION 2:** DL 1/2" 1" **VARIATION 3:** DL 1/2" 1" **VARIATION 4:** DL 1/2" 1"

Gauge _____ Qty _____	Gauge _____ Qty _____	Gauge _____ Qty _____	Gauge _____ Qty _____
_____ x _____, _____ Long	_____ x _____, _____ Long	_____ x _____, _____ Long	_____ x _____, _____ Long
A B C	A B C	A B C	A B C
Ends _____	Ends _____	Ends _____	Ends _____
<input type="checkbox"/> RAW <input type="checkbox"/> S&D <input type="checkbox"/> DFO	<input type="checkbox"/> RAW <input type="checkbox"/> S&D <input type="checkbox"/> DFO	<input type="checkbox"/> RAW <input type="checkbox"/> S&D <input type="checkbox"/> DFO	<input type="checkbox"/> RAW <input type="checkbox"/> S&D <input type="checkbox"/> DFO
OTHER _____ QTY _____	OTHER _____ QTY _____	OTHER _____ QTY _____	OTHER _____ QTY _____
Block End A _____ B _____	Block End A _____ B _____	Block End A _____ B _____	Block End A _____ B _____

17 OFFSET

(A is the Large Dimension)



VARIATION 1: DL $\square \frac{1}{2}$ " \square 1"

Gauge _____ Qty _____

Offset $\frac{\quad}{A}$ x $\frac{\quad}{B}$, $\frac{\quad}{C}$

Offset, $\frac{\quad}{D}$ Long

Ends J1 _____ J2 _____

VARIATION 2: DL $\square \frac{1}{2}$ " \square 1"


Gauge _____ Qty _____

Offset $\frac{\quad}{A}$ x $\frac{\quad}{B}$, $\frac{\quad}{C}$

Offset, $\frac{\quad}{D}$ Long

Ends J1 _____ J2 _____

18 REDUCER



VARIATION 1: DL $\square \frac{1}{2}$ " \square 1"

Gauge _____ Qty _____

Indicate: F1S O/C

RED $\frac{\quad}{A}$ x $\frac{\quad}{B}$

to $\frac{\quad}{D}$ x $\frac{\quad}{B}$, $\frac{\quad}{C}$ Long

Ends J1 _____ J2 _____

VARIATION 2: DL $\square \frac{1}{2}$ " \square 1"

Gauge _____ Qty _____

Indicate: F1S O/C


RED $\frac{\quad}{A}$ x $\frac{\quad}{B}$

to $\frac{\quad}{D}$ x $\frac{\quad}{B}$, $\frac{\quad}{C}$ Long

Ends J1 _____ J2 _____

19 RISER

(A is the Small Dimension)



VARIATION 1: DL $\square \frac{1}{2}$ " \square 1"

Gauge _____ Qty _____

Riser $\frac{\quad}{A}$ x $\frac{\quad}{B}$, $\frac{\quad}{C}$ Rise,

$\frac{\quad}{D}$ Long

Ends J1 _____ J2 _____

VARIATION 2: DL $\square \frac{1}{2}$ " \square 1"


Gauge _____ Qty _____

Riser $\frac{\quad}{A}$ x $\frac{\quad}{B}$, $\frac{\quad}{C}$ Rise,

$\frac{\quad}{D}$ Long

Ends J1 _____ J2 _____

20 OFFSET/RISER - REDUCING DL $\square \frac{1}{2}$ " \square 1"




Gauge _____ Qty _____

$\frac{\quad}{A}$ x $\frac{\quad}{B}$ to $\frac{\quad}{C}$ x $\frac{\quad}{D}$,


$\frac{\quad}{E}$ Long

Ends J1 _____ J2 _____

TOP VIEW:
(Check One & Select Offset)




OR




Indicate Offset Amount:

RIGHT SIDE:

(Check One & Select Drop or Rise)



OR



Indicate Drop or Rise Amount:

21 REVERSING 90°

DL $\square \frac{1}{2}$ " \square 1"

Gauge _____ Qty _____


Indicate: Turning Up Turning Down

FLS FRS O/C

REV90 $\frac{\quad}{A}$ x $\frac{\quad}{B}$

to $\frac{\quad}{C}$ x $\frac{\quad}{D}$, $\frac{\quad}{E}$ Long


Ends J1 _____ J2 _____



22 SQUARE TO ROUND

DL $\square \frac{1}{2}$ " \square 1"


Ends J1 _____ J2 _____ Gauge _____ Qty _____



to $\frac{\quad}{C}$ (Round), $\frac{\quad}{D}$ Long

Small End Large End

Check one:



GLOSSARY OF TERMS

D DFO Double flange out
DL Duct Lining

F F1S Flat one side
FLC Fishlock collar
FLS Flat left side
FOB Flat on bottom
FOT Flat on top
FRS Flat right side
FO Flange out *Incl.size*

J J Joint type

L L Long
L - L Left to left
L - R Left to right

O O/C On centre
OCBW ... On centre both ways
Off Offset

P PTO Plenum take-off
PRD Push Rod Damper

R RAB Return air boot
RAW Unfinished End
Rd Round
RED Reducer
R - L Right to left
R - R Right to right

S S&D S Cleat & Drive
SA-45 Side 45° elbow
SA-90 Side 90° elbow

S.Damp . Splitter damper
STK-45 .. Stack 45° elbow
STK-90 .. Stack 90° elbow
STO Side take-off
Sq Square

T Thr Throat *Incl.radius*
Trans Transition

V V.Damp . Volume damper
($\triangleleft \Rightarrow$ Point of View)

Please send completed form to your local Don Park representative.